

Modularized, Immersion-Cooled Data Center for Blockchain Computing

Product Specifications

HashTank HT40

Number of Immersion-Cooled Racks	6 x 52U
Cooling Capacity	800 kW (max)
Container Size	40' ISO Shipping Container

Power & Water Specifications

Final Heat Rejection Type-Included ¹	Evaporative Cooling Tower
Water Usage-Estimated	6 to 8 gpm (standard garden hose)
Input Voltage	3-Phase 380 to 415 VAC, 50 to 60 Hz
Nominal Input Amperage	2x 600A continuous


Delivery & Installation

Shipping Lead Time	• 12 to 16 weeks after receipt of purchase order
Shipping Terms	• Ex Works
Installation	• Seven to ten days for the first unit, plus five to eight days for each additional unit. GRC service engineer(s) will be onsite for container delivery and to begin installation and training.

For More Information and Pricing Contact Us

+1.512.692.8003 • ContactUs@grcooling.com • grcooling.com

¹Low water use options available in climates where the design dry bulb temperature does not exceed 90°F/35°C. Additional costs apply.





Site Preparation

Customer to Provide

- Mining and networking hardware
- Installation site preparation, including electric & water utilities
- 12' x 50' grade-level concrete pad
- Applicable permits
- Ongoing water treatment (anti fouling, scaling, corrosion, and microbial)
- Firewall/routers/switches
- Internet connection for miners
- Bitcoin wallet and mining pool account

Representative Terms

Payment Terms

- 80% with purchase order
- 20% before shipment
- Terms are subject to credit approval

Warranty & Maintenance²

- One-year limited warranty with customized support options available.

² Warranty is void if the HashTank units are run outside of their operating parameters defined in the installation specification.

GRC believes the information in this Data Sheet to be accurate; however, GRC does not make any representation or warranty, express or implied, as to the accuracy or completeness of any such information and shall have no liability for the consequences of the use of such information.

This Data Sheet and its contents do not constitute an order by GRC to sell any product. An order is made only by a quotation provided by GRC. The terms of sale in such quotation may vary from those set forth in this Data Sheet. GRC's acceptance of any order shall be in GRC's sole discretion, and all quotations and sales are subject to GRC's Terms and Conditions of Commercial Sale.

